

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>B01F 17/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/46036</b> <b>(43) International Publication Date:</b> 16 September 1999 (16.09.99)
<b>(21) International Application Number:</b> PCT/NL99/00135 <b>(22) International Filing Date:</b> 11 March 1999 (11.03.99) <b>(30) Priority Data:</b> 1008564 11 March 1998 (11.03.98) NL <b>(71) Applicant (for all designated States except US):</b> AVEBE LATENSTEIN B.V. [NL/NL]; Waalbandijk 22, NL-6541 AJ Nijmegen (NL). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> SLIEPENBEEK, Jo- hannes, Theodorus, Hendrikus [NL/NL]; Hindestraat 29, NL-6531 KG Nijmegen (NL). WEEGELS, Peter, Louis [NL/NL]; Van der Molenaallee 131, NL-6865 CC Doorw- erth (NL). <b>(74) Agent:</b> VAN SOMEREN, Petronella, Francisca, Hendrika, Maria; Arnold & Siedsma, Sweelinckplein 1, NL-2517 GK The Hague (NL).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i> <i>Before the expiration of the time limit for amending the</i> <i>claims and to be republished in the event of the receipt of</i> <i>amendments.</i> <i>In English translation (filed in Dutch).</i>
<b>(54) Title:</b> ADDITIVE WITH EMULSIFYING AND/OR GELLING AND/OR FOAMING ACTIVITY  <b>(57) Abstract</b>  The invention relates to an additive with an emulsifying and/or gelling and/or foaming activity, to be obtained by dissolving gluten in a medium with a pH of a maximum of 4 in the presence of a reducing agent. The additive has different food and non-food applications such as in meat products, confectionery, cosmetic or personal care products and paints.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakhstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DR	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

**ADDITIVE WITH EMULSIFYING AND/OR GELLING  
AND/OR FOAMING ACTIVITY**

The present invention relates to a new additive with emulsifying and/or foaming and/or gelling activity.

Many products for both food and non-food applications are compositions of different constituents. These  
5 constituents are not always mixable. In such a case an emulsifier must be added. Known emulsifiers for food applications are for instance casein, egg yolk and soya protein. Emulsifiers are also used in non-food applications, such as in the cosmetics and paint industry where  
10 mainly soaps and ethoxylated emulsifiers are employed.

It is often the wish for an emulsifier to also possess other functional properties. Casein is thus added not only for fat and water binding, but also after sterilization to give the product sufficient consistency by  
15 gelling. It is however necessary for this purpose for a heating to at least 120°C to take place, which is not always desirable. Another known emulsifier is egg yolk. A drawback hereof is that it loses its emulsifying activity due to pasteurization.

20 It is the object of the present invention to provide a new additive with an emulsifying and/or foaming and/or gelling activity. Owing to the gelling activity the additive can also be used for other applications such as confectionery. Gelatine for instance has been used here-  
25 tofore for this purpose, and this is relatively expensive. An additional advantage of replacing gelatine by the new additive is, that products prepared herewith are also suitable for kosher and halal applications.

It has now been found according to the invention  
30 that gluten treated in a determined manner has such desired properties. Gluten is as such insoluble, very viscous and difficult to handle. Gluten is therefore already modified in different ways. A chemical modification used in practice is de-amidation of the gluten,  
35 wherein the gluten is modified such that by shifting the

isoelectric point the gluten become water-soluble in neutral environment. This method alters the chemical composition of the gluten. Also by means of (enzymatic) hydrolysis, optionally followed by fractioning, a gluten  
5 derivative can be obtained with emulsifying and/or foaming and/or gelling properties. Hydrolysis reduces the chain length of the polymer, which influences the emulsifying and/or foaming properties.

The treatment according to the invention comprises  
10 of dissolving gluten in a medium with a pH of a maximum of 4 in the presence of a reducing agent. The insolubility is hereby at least partially obviated by breaking bonds between the protein molecules. An increased temperature and/or high shear forces are preferably further  
15 applied.

It has been found that a pH of less than 4, preferably less than 3, is very suitable. The pH can be adjusted with any suitable acid. These can be inorganic acids such as hydrochloric acid, sulphuric acid or phosphoric acid,  
20 but for food applications these will be the acids much used in foodstuffs such as lactic acid, acetic acid, citric acid and tartaric acid or combinations thereof. It is recommended to choose, subject to the taste of the foodstuffs, an acid or combination of acids appropriate  
25 thereto.

The choice of the reducing agent will also depend on the application. A suitable reducing agent for food applications is for instance cysteine, glutathione, sulphite or a salt thereof. The food-grade reducing agent  
30 ascorbic acid is preferably used. In principle it is also possible to adjust the pH with ascorbic acid, but this is not recommended since ascorbic acid is relatively expensive.

It is recommended to dissolve the gluten at an  
35 increased temperature and high shear forces in a mixture of water with acid to the desired pH and the reducing agent. In this application "solution" is not always

understood to mean a strictly chemical solution but usually a turbid fluid, also referred to as dispersion.

The treatment with heat and high shear forces is preferably applied for about half an hour. At a shorter  
5 treatment time residual-gelling often takes place, while with too long a treatment time the dispersion is not stable and gelling can also occur. Increased temperature is understood to mean a temperature of at least 30°C and a maximum of 100°C. Such shear forces can for instance be  
10 achieved in an ultra turrax, homogenizing apparatus, colloid mill, Suprator or by means of a dispersing disc or intensive kneading.

It has been found that the additive according to the invention is, among other things, a very powerful emulsi-  
15 fier which is moreover resistant to pasteurization.

The additive according to the invention can also replace the usually used egg yolk as food additive in salad cream and mayonnaise. As stated, the drawback of egg yolk is that it cannot be pasteurized. Alternative  
20 proteins are found not to work as emulsifiers. The additive according to the present invention is however suitable for pasteurization.

An important application of the additive according to the invention as food additive is as emulsifier in so-  
25 called fatbody. Such fatbody consist for instance of coconut oil which can be emulsified in water by adding the additive according to the invention and are subsequently spray-dried to a free-flowing powder.

In the case of fatbody 1-3%, preferably 2%, of  
30 casein is currently used, while this can be 1-2%, preferably 1.5%, in the case of the additive according to the invention.

The additive according to the present invention can further be used as food additive to replace casein or  
35 soya protein in cold and pasteurized meat products. In such meat products the emulsifying activity is necessary to bind the fat in the product. In such meat products a gelling activity is also required in addition to an

emulsifying activity. The drawback of the now frequently used casein is for instance that it only gels when sterilized. However, it is sometimes not desirable to sterilize such meat products, because the taste and colour thereof can be diminished.

The additive according to the invention can be applied in pasteurized meat products to bind fat in the product and, in contrast to casein, does not first have to be sterilized to obtain a gelled mass. In some cases the binding of water can however deteriorate, but this can be counteracted by adding for instance a thickener.

Surprisingly, the additive according to the invention further has a foaming activity as food additive. Addition of the product to a mixture of a large amount of sugar and little water results for instance in the forming of a foam (so-called meringue) which can be used in confectionery.

The additive according to the invention can also be used in non-food applications where emulsions occur. Examples hereof are cosmetics or personal care products, such as creams, milks, gels, ointments and so on, and paint.

The additive according to the invention preferably contains 15-20% gluten on the basis of dry substance. Above this quantity there is the risk of the solution becoming too viscous because gelling occurs.

It is however possible to increase the dry substance content of the additive by preparing the additive as described above with 15-20% gluten on the basis of dry substance and adding thereto extra unmodified gluten up to for instance 30% dry substance. As such this would eventually result in a high-viscous product which would be difficult to process but, with direct processing thereof or addition thereof to the foodstuff under high shear forces, it is found surprisingly that it can in fact be processed. The reason why a higher dry substance content (i.e. protein content) might be desirable is that the end product thereby contains less water. The protein

content of the solution moreover determines the emulsifier content. If therefore more inexpensive gluten is present, the product becomes relatively cheaper because less is required.

5 The quantity of ascorbic acid used as reducing agent preferably amounts to between 1 and 1.5% of the total.

Products prepared with the additive according to the present invention will in general also contain other additives, which could have a negative effect on the  
10 activity of the additive. If for instance salt is added, it is recommended to add the salt after the additive which is found to be salt-sensitive. However, when an additional processing, for instance a homogenization, takes place, the adding sequence is not found to be  
15 crucial.

The present invention will be further elucidated on the basis of the accompanying examples, in which the preparation of the product in addition to a number of its applications are described.

20

#### EXAMPLES

##### Example 1

Preparation of an emulsifier according to the invention

Seven emulsifiers were prepared on the basis of  
25 gluten and ascorbic acid. The pH of the emulsifiers was adjusted with different acids. All preparations took place under high shear force but in different ways, such as for instance by means of a dispersing disc, an ultra turrax, a Suprator or intensive kneading. The samples  
30 were heated for 10-90 minutes at between 30°C and 100°C. Table 1 shows the different ingredients as well as the production temperature and production time.

It was found that heating of the sample preferably took place for 20-30 minutes at 60°C. If the sample  
35 contained 15% gluten a low-viscous dispersion was obtained, while at 20% gluten the mass was more viscous but still pumpable. Addition of ascorbic acid was found to result in a material which had a stable viscosity in

time. It is however also possible to prepare the emulsifier without ascorbic acid but the functional (emulsifying) properties are then less good and the viscosity of the emulsifier is not stable. In one of the samples dry  
 5 gluten was mixed into the gluten emulsifier to increase the dry substance content and the content of protein.

Table 1

Influence of composition and method on viscosity of gluten emulsifier

Sample number	1	2	3	4	5	6	7
Composition (g)							
Water	41630	42772	20	9346	2243	2243	9778
Gluten	7752	13043	20	2717	623	623	1963
Ascorbic acid	684	900	1.8	187	45	45	150
Citric acid			3	250	30	30	150
Acetic acid	1520	1920					
Lactic acid		1366					
Sugar			60				
Gluten						475 <sup>2</sup>	
Gluten content (%)	14	20	15	20	20	30	15
Production temperature (°C)	90	60	20	30	60	60	60
Production time (min)	45	30	10 <sup>1</sup>	60	30	30	88
Viscosity (mPa*s)	600	7500	gel	7000	-	gel	-

<sup>1</sup> kneading in minor-plate mixer

<sup>2</sup> dry gluten admixed after preparation of emulsifier under high shear

### Example 2

#### Gluten emulsifier for use in salad cream

For the preparation of salad cream a carrier was first prepared by suspending a starch mixture of 220.5 g-  
 5 rams of Puramyl SP (Avebe Latenstein B.V.) and 220.5 grams of C\*tex 06304 from Cerestar in 3430 grams of water with 65 grams of kitchen salt, 44 grams of sugar, 245 grams of 8% acetic acid and 196 grams of 8% lactic acid.



This mixture was heated to 85°C and held at this temperature for 3 minutes. The mass was then cooled while being stirred.

For the preparation of salad cream an oil phase with 5 226 grams of soya oil, 0.4 grams of xanthane gum and 1.6 grams of guar gum were mixed under high shear forces (for instance in an ultra turrax, dispersing or homogenizing apparatus or a colloid mill) with 181 grams of the above described carrier, 3-39 grams of the gluten emulsi- 10 fier 2 of example 1 and water, with 0.5 grams of potassium sorbate and 3.5 grams of kitchen salt.

When use was made of the ultra turrax it was found that good and stable emulsions were obtained from 0.13% gluten. This corresponds with the lower limit which 15 applies when use is made of liquid egg yolk normally used as emulsifier.

The salad cream prepared with the gluten emulsifier according to the invention was found, in contrast to that prepared with liquid egg yolk, to be well heat-stable 20 (15 minutes at 120°C) and freeze-thaw stable.

### Example 3

Gluten emulsifier for use in fat/water emulsions stabilized by protein

25 Different fat/water emulsions stabilized by protein can be prepared with the gluten emulsifiers described in example 1.

590 grams of the gluten emulsifier 1 of example 1 was thus emulsified in a homogenizer with 5000 grams of 30 fluid coconut oil and 1800 grams of glucose syrup (65% dry substance) and 1540 grams of water. After spray-drying of this emulsion a stable fatbody was obtained with 80% fat.

With the gluten emulsifier 7 a fat/water emulsion 35 stabilized by protein was made for calf milk. For this purpose 2640 grams of gluten emulsifier was suspended in 2165 grams of water. Added hereto was 2160 hydrolyzed wheat protein (Wheaprolat) (Avebe Latenstien B.V.) or a

mixture of 1760 grams of glucose and 400 grams of Wheaprolat. This suspension was optionally adjusted to pH 6.25. After heating to 60°C, 1037 grams of a fat mixture for calf milk (Sloten Jongveevoeders) and 7 grams of glyceryl monostearate (GMS) was added and homogenized with an ultra turrax. The stability of these homogenisates was examined after 48 hours. At that moment in time no creaming of fat separation or water separation had taken place. The stability was independent of the pH of the obtained emulsion.

It was also possible to obtain stable emulsions when 40% fat, 0.1% glyceryl monostearate (GMS) and 5% (on the basis of dry substance) of the gluten-stabilized emulsions 2 or 7 of example 1 were used.

#### Example 4

Gluten emulsifier for use in meat products

The gluten emulsifier according to the present invention is suitable for the preparation of cold or pasteurized meat products. In order to demonstrate this a model emulsion for meat products was prepared by chopping 1500 grams of fatty bacon slowly for 1 minute and rapidly for 2 minutes in a so-called Scharfen meat cutter (content 5 kg). 1250 g respectively 625 g of gluten emulsifier 5 of example 1 was then added and 300 g respectively 925 g of water. Both were brought in advance to 60°C and were subsequently chopped slowly for 3 minutes and then rapidly for 2 minutes. Thereafter 60 grams of kitchen salt was added during 2 minutes of rapid chopping. The obtained emulsion was partly canned in cans of 400 ml, which were pasteurized for 2 hours at 70°C. Another part was transferred to a plastic beaker and stored at room temperature so as to be able to determine the effect of pasteurization.

In similar manner a mixture of 834 g of gluten emulsifier 6 of example 1 with 716 g of water and, for comparison purposes, a mixture of 270 g sodium caseinate with 1530 g of water were used.

The samples with the gluten emulsifiers according to the invention were found to fully bind the bacon fat both after pasteurization and at room temperature. These emulsions had reasonable to good cohesion and formed a soft gel. In all cases there was however a little cooking loss (5-10%). If on the other hand casein was used as emulsifier, no cohesion was obtained and after pasteurization there was a very high level of cooking loss (>30%) and, in addition, not all the bacon fat was bound.

10

Example 5

Gluten emulsifier as foaming agent

Surprisingly, it was found that the gluten emulsifier according to the present invention also has good properties as foaming agent. By adding 420 g of sugar and 168 g of water to gluten emulsifier 3 of example 1 and whipping this mass in a mixer with whisk a foamy mass was obtained. This foam can serve as basis for the preparation of light confectionery.

20

\*\*\*\*\*

**CLAIMS**

1. Additive with an emulsifying and/or gelling and/or foaming activity, to be obtained by dissolving gluten in a medium with a pH of a maximum of 4 in the presence of a reducing agent.

5        2. Additive as claimed in claim 1, characterized in that the medium is water, the pH of which is adjusted with an acid, for instance chosen from hydrochloric acid, sulphuric acid or phosphoric acid or combinations thereof for non-food applications and from lactic acid, acetic  
10 acid, citric acid, tartaric acid and hydrochloric acid or combinations thereof for food-applications.

3. Additive as claimed in claim 1 or 2, characterized in that the reducing agent is chosen from one or more of the following: ascorbic acid, sulphite, cysteine and  
15 glutathione, or salts thereof.

4. Additive as claimed in any of the foregoing claims, comprising 15-20% gluten, 0.5-3%, preferably 1-1.5% ascorbic acid and an acid to a pH of a maximum of 4, preferably a maximum of 3.

20        5. Additive as claimed in any of the claims 1-4, to be obtained by subjecting a mixture of gluten, reducing agent and acid in water to a high shear force for about 30 minutes at a temperature between 20 and 100°C.

6. Additive as claimed in any of the claims 1-5 for  
25 use as emulsifier.

7. Additive as claimed in any of the claims 1-5 for use as foaming agent.

8. Emulsion, comprising a water phase, a fat or oil phase and an additive as claimed in any of the claims 1-6.

30        9. Emulsion as claimed in claim 8, which emulsion is mayonnaise, salad cream, salad dressing, marinade.

10. Fat/water emulsions stabilized by protein, to be obtained by emulsifying a fat in the presence of an additive as claimed in any of the claims 1-6.

11. Fat/water emulsions stabilized by protein as claimed in claim 10, wherein the fat is coconut oil.

12. Meat product comprising in addition to the usual ingredients a food additive as claimed in any of the  
5 claims 1-6.

13. Confectionery comprising in addition to the usual ingredients a food additive as claimed in any of the claims 1-7.

14. Cosmetic or personal care product comprising in  
10 addition to the usual ingredients an additive as claimed in any of the claims 1-7.

15. Paint comprising in addition to the usual ingredients an additive as claimed in any of the claims 1-6.

15 16. Additive as claimed in claims 1-7 for use in a food emulsion, meat product, confectionery, cosmetic or personal care product or paint.

# INTERNATIONAL SEARCH REPORT

International Application No.

PCT/NL 99/00135

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 B01F17/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 B01F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 298 419 A (KATAYAMA CHEMICAL) 11 January 1989 see page 4, line 9 - page 10, line 58; claims 1-23 ---	1,3,6, 8-16
X	DATABASE WPI Section Ch, Week 88428 September 1988 Derwent Publications Ltd., London, GB; Class D, AN 88-296319 XP002083044 & JP 63 216438 A (SHOKUHIN BIOREACTOR) , 8 September 1988 see abstract --- -/--	1,3,7, 12,13,16

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "S" document member of the same patent family

Date of the actual completion of the international search

6 July 1999

Date of mailing of the international search report

13/07/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Fouquier, J-P

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/NL 99/00135

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>           DATABASE WPI            Section Ch, Week 941715 March 1994            Derwent Publications Ltd., London, GB;            Class B, AN 94-138201            XP002083045            &amp; JP 06 073089 A (ISHIHARA YAKUHI)            , 15 March 1994            see abstract            -----         </p>	<p>1,2,6,7, 14,16</p>

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/NL 99/00135

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 298419 A	11-01-1989	JP 1202235 A	15-08-1989
		JP 7046958 B	24-05-1995
		JP 1281068 A	13-11-1989
		JP 7002095 B	18-01-1995
		JP 1014274 A	18-01-1989
		JP 6091793 B	16-11-1994
		DE 3871260 A	25-06-1992
		KR 9610398 B	31-07-1996
		US 5138038 A	11-08-1992
		US 5273773 A	28-12-1993
		DE 3875298 A	19-11-1992
		EP 0301278 A	01-02-1989
		JP 1127032 A	19-05-1989
		JP 2045635 C	25-04-1996
		JP 7077603 B	23-08-1995
		KR 9600583 B	09-01-1996
		US 5274079 A	28-12-1993
		US 5366661 A	22-11-1994